

Lincoln Hoist[®]

The Original. Since 1949.

Web Strap Hoists



**Now with
RFID!**



**Made in USA for
over 65 Years!**



Lincoln Hoist® has been designing and manufacturing portable ratchet lever hoists in the USA for over 65 years. Our hoists are made with unmatched quality and durability. With a variety of models and features to choose from, we make the right tool for the job.

Web Hoist Features:

- Made in the USA.
- Models from 2000 to 4000 lb capacity.
- Load tested to 125% of rated capacity.
- Meets or exceeds ASME B30.21 specification for manual lever operated hoists.
- Double flanged drum - Keeps web strap from coming in contact with ratchet teeth.
- Breakable stress link - Alerts the operator to an overload condition. This Lincoln invention enables field replacement of an inexpensive link rather than a complete fiberglass handle.
- Interlocking pawl mechanism - No brakes to slip.
- Maintenance free bearings are lubed for life.
- Open frame construction for easy inspection and cleaning.
- Four hook styles designed to meet application requirements and work practice standards.
- USA made 360° swivel hooks are drop forged, heat treated steel.



Web Hoist Model Specifications

Model #	Handle Length inches	Single Line				Double Line				Hoist Weight lbs.
		Capacity		Lift Dist. Feet	Hook to Hook Min. (in)	Capacity		Lift Dist. Feet	Hook to Hook Min. (in)	
		Lbs.	Tons			Lbs.	Tons			
2W10	30	1000	1/2	9	18	2000	1	4-1/2	23	10-1/4
2W10S	20	1000	1/2	9	18	2000	1	4-1/2	23	10-1/4
3W08	30	1500	3/4	7	20	3000	1-1/2	3-1/2	24	10-1/4
3W08S	20	1500	3/4	7	20	3000	1-1/2	3-1/2	24	10-1/4
3W15	30	1500	3/4	14	22	3000	1-1/2	6-1/4	30	14
4W12	36	2000	1	10	22	4000	2	5	30	14-3/4
30W08	30	1500	3/4	7	23	3000	1-1/2	3-1/2	23	10
30W08S	20	1500	3/4	7	23	3000	1-1/2	3-1/2	23	10

A History of Quality and Innovation

- 1949** Introduced the first lever hoist using double interlocking pawls.
- 1964** Patented the first portable hoist with 50 feet of cable.
- 1966** First web strap model introduced.
- 1969** Patented breakable stress link system for use on fiberglass handles.
- 1974** Introduced the first 6,000 lb portable hoist with self storing cable.
- 1986** Produced 1,000,000th portable hoist.
- 2001** Introduced convertible web strap hoist using lynch pin fast attachments.
- 2010** Produced 2,000,000th portable hoist.
- 2011** Introduced RFID technology.

RFID Technology



Scan

← ↻ Schedule : Periodic Insp/Cert Scheduling

Certifications Inspections Inspections and Certifications Work Orders

1 Items Not Yet Due for Inspection
 1 Items Due for Inspection Within 30 Days
 2 Items OverDue for Inspection

Item	SerialNum	Asset Number	Owner	Next Insp. Date
3W08S Ratchet Hoist 1-1/2 Ton		9877642	Tip Top Chemicals	2011-01-22
4W12 Ratchet Hoist 2 Ton		9874453	Tip Top Chemicals	2011-02-01
3W08SB Ratchet Hoist w/ Hot Stick Rings 1-1/2 Ton		9878862	Tip Top Chemicals	2011-05-02
4W12 Ratchet Hoist w/ Gate Hooks 2 Ton		9874435	Tip Top Chemicals	2011-09-04

First Prev Next Last Records: 1 to 4 of 4 4 Rows Found

Report

Benefits:

- Location tracking
- Instant & accurate on-site ID
- Inspection history
- Maintenance schedule
- Certificate & report printing

RFID Readers



Upload




Hoist Options



"B" Option

This option adds hot stick rings to the hooks, pawl shafts and handle.

"L" Option
 Lynch Pin Block
 One pin pull to easily disassemble.



"Y" Option

This option adds levers to the pawl shafts, making it easier to operate your hoist with heavy gloves on.

30W08 Convertible Model

The 30W08 is designed to be quickly changed from single to double rigged. This way you don't have a block swinging freely on the strap or any extra parts to lose. These models are also available with all the options we offer on our other web strap hoists.



Optional Hooks

These hooks are available on all web strap hoists, just add the letter suffix after the model number. This will get you that type of hook at all positions.

Example - 4W12 HB

U



Swivel gate latch provides positive locking action for secure load handling.

B



Hot stick hooks have a 1" welded ring for use with holding sticks.

HB



Hot stick gate latch hooks have rings on the latch and hook.

Cable Hoists

Made in the USA.

Models from 1000 to 6000 lb. Capacity.

Handle bends to alert operator of overload.

Four hook styles.

Rapid Lowering and Marine grade models available.



WARNING



Overloading & Improper Use Can Result In Injury.

To Avoid Injury:

- Read and understand operators manual.
- Do not exceed working load limit.
- Do not use to lift people or loads over people.
- Use only **Lincoln Hoist**® replacement parts.

For more information please visit us on the web at:

www.LincolnHoist.com

Lincoln Hoist®

Mfg. by Lincoln Precision Machining Company
121 Creeper Hill Road, P.O. Box 458, North Grafton, MA 01536
Toll Free (888) 306-7222 Phone (774) 551-9000 Fax (508) 839-4729
Email sales@lincolinhoist.com